




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
1111	2,8	2,8	60
409	3,0	1,2	60
357	3,0	3,0	30
45	3,0	3,0	60
628	3,5	3,0	60
979	3,5	3,5	30
401	3,8	1,2	55
45	3,8	3,8	50
1112	3,9	3,9	60
110 / 112	4,0	1,0	60
861	4,0	2,0	65
96	4,0	3,0	60
99	4,0	3,5	45-50
45	4,0	4,0	60
12	4,2	2,1	60
1	4,5	2,1	60
325	5,0	1,0	30
85	5,0	1,9	60
145	5,0	2,0	60
358	5,0	3,0	45-50
942	5,0	3,2	65
286	5,0	4,0	45/50/55/70
7	5,0	5,0	60
6	5,4	5,4	75
286	5,5	4,0	50
73"B"	5,5	5,5	60
94	5,8	2,0	50
94	6,0	2,0	40




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
309	6,0	2,0	75
293	6,0	2,0	80
309	6,0	2,5	70
67	6,0	3,0	40
64	6,0	3,0	60
9	6,0	3,0	70/80
76	6,0	5,0	45
1034	6,0	5,0	65
7	6,0	6,0	45-50/55-60
1202	7,0	2,0	30
82	7,0	3,0	60
1046	7,0	4,0	60
648	7,0	5,0	30
311	7,0	5,0	60
327	7,5	4,0	45
973	7,7	6,6	50
5	8,0	2,25	60
68	8,0	3,0	50/60
82	8,0	4,0	60/80
8	8,0	6,0	60
71	8,0	8,0	60
1037	9,0	8,0	40
48	10,0	1,0	60
10	10,0	2,0	60
22	10,0	3,0	60
710	10,0	3,5	60
58	10,0	4,0	30/35
79	10,0	4,0	45-50




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
14	10,0	4,0	60
84	10,0	4,0	70
75	10,0	5,0	40
2	10,0	5,0	60
688	10,0	5,5	60
69	10,0	6,0	30/40
13	10,0	6,0	60
3/4/77	10,0	10,0	60
388	11,0	1,5	60
285	11,0	4,0	40-50
1038	11,0	6,0	60
422	12,0	1,0	60
49	12,0	2,0	30
359	12,0	2,0	60
404	12,0	3,0	60
25	12,0	4,0	50/60
46	12,0	6,0	60
23	12,0	7,0	60
465	12,0	8,0	70
24/89	12,0	10,0	60
501	12,0	12,0	40
21	12,0	12,0	60
863	12,5	2,0	50
675	13,0	0,4	50
19	13,0	3,0	60
1035	13,0	5,0	65
51	13,0	13,0	60
399	14,0	1,0	60




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
95	14,0	2,0	50
312	14,0	2,0	70
305	14,0	3,0	60
502	14,0	3,0	70
32	14,0	7,0	40
1024	14,0	11,0	60
51	14,0	14,0	60
312	15,0	2,0	45/60
20	15,0	3,0	50/60
59	15,0	4,0	30
557	15,0	5,0	30
97	15,0	5,0	40
11	15,0	5,0	60
307	15,0	8,0	40
307/1072	15,0	8,0	60
1088	15,0	8,5	60
18	15,0	10,0	30/40/60
674	15,0	15,0	30
15	15,0	15,0	50/60
18	15,5	10,0	60
338	16,0	1,0	40
30	16,0	2,0	60
63	16,0	4,0	60
363	16,0	6,0	60
29	16,0	10,0	55
499	16,0	10,0	60
72	16,0	12,0	40/60
589	16,0	16,0	40/60




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
926	16,2	8,0	60
110/111	17,0	0,65	60
52	17,0	17,0	60
1213	18,0	1,0	60
17	18,0	4,0	60
1157	18,0	6,0	30
815	18,0	8,0	60
15B/16	18,0	18,0	60
503	19,0	1,0	60
931	19,0	5,5	30
1271	19,0	17,0	70
438	19,5	8,5	60
552	20,0	0,5	50/60
100/101	20,0	0,65	60
377	20,0	1,0	40
81 mit 50	20,0	1,0	60
78	20,0	2,0	40
31	20,0	2,0	60
35	20,0	2,5	60
66/352	20,0	3,0	40
27	20,0	3,0	60
60	20,0	4,0	30,4
1074	20,0	4,0	60
55	20,0	5,0	40/50
28	20,0	5,0	60
33	20,0	7,0	60
73	20,0	8,0	40
26	20,0	8,0	50/60




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
438	20,0	9,0	70
1087	20,0	9,5	60
371	20,0	10,0	30
74	20,0	10,0	40
36	20,0	10,0	55/60/80
34	20,0	15,0	40
605	20,0	16,0	60
52	20,0	20,0	40
391	20,0	20,0	50/55
53	20,0	20,0	60
1044	22,0	2,0	50
321	22,0	3,0	60
193	22,0	6,0	60
726	23,0	1,0	45
246	23,0	4,0	45
93	24,0	5,0	60
57	24,0	14,0	40
54	24,0	24,0	60
376	25,0	0,3	43
328	25,0	2,0	35-40/50
38	25,0	3,0	40
562	25,0	3,0	50/60
61	25,0	4,0	30/40
39	25,0	5,0	60
629	25,0	6,0	60
823	25,0	10,0	30
37	25,0	10,0	60
318	25,0	12,0	30-40




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
872	25,0	13,0	70
40	25,0	15,0	40
1120	25,0	25,0	60
721	26,0	1,3	70
100	26,0	4,0	45
37	26,0	10,5	35-40
1023	26,0	11,0	60
1030	29,0	2,0	50
1192	30,0	0,5	60
98	30,0	2,0	40
41	30,0	2,0	60
240	30,0	2,5	40
43	30,0	3,0	60
62	30,0	4,0	30/40
365	30,0	5,0	60/70
367	30,0	6,0	30
421	30,0	6,0	60
368	30,0	8,0	30
1108	30,0	9,0	30
1107	30,0	10,0	35
42/90	30,0	10,0	60
871	30,0	12,0	60
551	30,0	13,0	30
952	30,0	15,0	70
321	30,0	20,0	60
876	32,0	2,2	40
969	32,0	8,0	50
677	35,0	1,0	50




	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
1093	35,0	1,5	70
631	35,0	2,0	40
83	35,0	2,0	60
92	35,0	5,0	50
556	35,0	25,0	60
707	37,0	1,0	66
711	37,0	2,0	60
44	38,0	5,0	60
1070	39,0	1,0	70
584	40,0	0,5	70
469	40,0	1,3	50
534	40,0	2,0	50/60
306	40,0	3,0	60
561	40,0	4,0	40
583	40,0	5,0	60
88	40,0	6,0	60
380	40,0	8,0	60
108	40,0	12,0	40
56/369	40,0	12,0	60
873	40,0	30,0	70
1115	42,0	42,0	50
671	44,0	0,5	60
706	45,0	1,5	45
86	45,0	3,0	60
91/241	45,0	5,0	40
982	46,0	2,0	55
1071	47,0	2,0	70
446	50,0	1,0	35-40



	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
446	50,0	1,0	60/70
647	50,0	2,0	30
623	50,0	2,0	40
482	50,0	2,0	45/60
692/693	50,0	3,0	55
1223	50,0	5,0	35
575	50,0	5,0	60
339	50,0	15,0	30
943	55,0	2,0	40
769	55,0	3,0	40
87	55,0	3,0	60
727	57,0	1,0	45
636	60,0	1,5	60
444	60,0	2,0	60
692/693	60,0	3,0	55
900	60,0	4,0	40
464	60,0	5,0	60
693	61,0	3,0	60
621	65,0	2,0	40
622	65,0	2,0	35/40
720	65,0	2,5	60
857	65,0	5,0	70-75
835	65,0	5,0	80
600	66,0	1,0	45
637	67,0	1,7	50
636	70,0	1,5	60
768	70,0	3,0	50
80	70,0	15,0	50/60



	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
1290+GRS1	75,0	1,0	60
718	75,0	2,0	50
718	75,0	2,6	25
621	78,0	2,0	40
600 mit 403	80,0	1,0	50
636	80,0	1,5	60
768	80,0	3,0	40
804	80,0	5,0	60
1179	80,0	8,0	40
403	85,0	2,0	60
1009	86,0	2,5	30
801	90,0	0,9	25-30
636	90,0	1,5	60
878	90,0	4,0	60
677	95,0	1,0	40
620	95,0	2,0	40
677	100,0	1,0	50
636	100,0	1,5	60
804	100,0	5,0	60
671	110,0	0,3	60
718	110,0	1,5	40
801	112,0	1,2	70
619	112,0	2,0	40
671	116,0	0,5	60
677	116,0	1,0	60
719	120,0	2,5	60
618	125,0	2,0	40/60
630	145,0	2,0	40



	Breite: a / mm	Höhe: b / mm	Shore-Härte: +- 5 Grad
947	145,0	2,0	70
947	148,0	2,8	60
947	150,0	1,5	60
617	150,0	2,0	40
927	170,0	6,0	60
739	240,0	2,0	50