




|                    | Breite: a / mm<br>Tol. ± 10% | Höhe: b / mm<br>Tol. ± 10% | Dichte oder<br>Shore-Härte: |
|--------------------|------------------------------|----------------------------|-----------------------------|
| 971                | 2,8                          | 2,0                        | 0,5 ± 0,1                   |
| 1626               | 4,0                          | 2,5                        | 8 - 15 Grad                 |
| 680                | 4,0                          | 3,0                        | 0,5 ± 0,1                   |
| 651                | 4,0                          | 4,0                        | 0,5 ± 0,1                   |
| 1239               | 4,7                          | 2,5                        | 25 Grad                     |
| 2105               | 5,0                          | 2,5                        | 0,5 ± 0,1                   |
| 497                | 5,0                          | 3,0                        | 0,4 ± 0,1                   |
| 848                | 5,0                          | 3,0                        | 0,5 ± 0,1                   |
| 846                | 5,0                          | 5,0                        | 0,5 ± 0,1                   |
| 1140 r             | 5,6                          | 2,1                        | 15 - 20 Grad                |
| 484                | 5,6                          | 5,2                        | 0,5 ± 0,1                   |
| 1691               | 6,0                          | 2,0                        | 8 - 15 Grad                 |
| 1534               | 6,0                          | 4,0                        | 8 -15 Grad                  |
| 1296               | 6,0                          | 4,0                        | 25 - 28 Grad                |
| 420                | 6,0                          | 5,0                        | 0,4 ± 0,5                   |
| 153                | 6,0                          | 5,0                        | 0,7 ± 0,1                   |
| 225                | 6,0                          | 5,0                        | 0,7 ± 0,1                   |
| 461                | 6,0                          | 6,0                        | 0,5 ± 0,1                   |
| 485                | 6,4                          | 5,3                        | 0,4 ± 0,1                   |
| 1387               | 7,0                          | 2,75                       | 8 - 15 Grad                 |
| 1439               | 7,0                          | 3,0                        | 8 - 15 Grad                 |
| 613 r              | 7,0                          | 4,0                        | 0,5 ± 0,1                   |
| 572 (m. dicker H.) | 7,0                          | 5,0                        | 0,5 ± 0,1                   |
| 573                | 7,0                          | 5,0                        | 0,5 ± 0,1                   |
| 1106               | 7,5                          | 6,0                        | 15 - 20 Grad                |
| 1410               | 8,0                          | 2,5                        | 30 ± 5 Grad                 |
| 390                | 8,0                          | 3,0                        | 0,5 ± 0,1                   |
| 1484               | 8,0                          | 5,0                        | 0,4 ± 0,1                   |
| 538                | 8,0                          | 6,0                        | 0,5 ± 0,1                   |




|                 | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|-----------------|--------------------------------|------------------------------|-----------------------------|
| 555             | 8,0                            | 6,0                          | 0,4 - 0,5                   |
| 225             | 8,0                            | 7,0                          | 0,5 ± 0,1                   |
| 463             | 8,0                            | 8,0                          | 0,5 ± 0,1                   |
| 1303 r          | 8,3                            | 2,2                          | 20 - 5 Grad                 |
| 580             | 8,5                            | 2,0                          | 0,5 ± 0,1                   |
| 1485            | 9,0                            | 3,0                          | 8 - 15 Grad                 |
| 781             | 9,0                            | 5,0                          | 0,6 ± 0,1                   |
| 202             | 9,0                            | 6,0                          | 0,5 ± 0,1                   |
| 802             | 10,0                           | 3,0                          | 0,5 ± 0,1                   |
| 2208            | 10,0                           | 3,5                          | 30 Grad                     |
| 326             | 10,0                           | 4,0                          | 0,6 ± 0,1                   |
| 216 / 642 / 689 | 10,0                           | 5,0                          | 0,5 ± 0,1                   |
| 202 / 829       | 10,0                           | 6,0                          | 0,7 ± 0,1                   |
| 1546            | 10,0                           | 7,0                          | 5 - 8 Grad                  |
| 654             | 10,0                           | 8,0                          | 0,5 ± 0,1                   |
| 586             | 10,0                           | 9,0                          | 0,5 ± 0,1                   |
| 250             | 10,0                           | 10,0                         | 0,5 ± 0,1                   |
| 216             | 11,0                           | 6,0                          | 0,5 ± 0,1                   |
| 422             | 11,0                           | 6,2                          | 8 - 15 Grad                 |
| 685             | 11,0                           | 8,5                          | 0,3 ± 0,1                   |
| 686             | 11,0                           | 11,0                         | 0,3 ± 0,1                   |
| 1758            | 11,0                           | 11,0                         | 20 ± 5 Grad                 |
| 666             | 12,0                           | 2,0                          | 0,5 ± 0,1                   |
| 733             | 12,0                           | 3,0                          | 0,5 ± 0,1                   |
| 828             | 12,0                           | 4,0                          | 0,5 ± 0,1                   |
| 984             | 12,0                           | 5,0                          | 0,5 ± 0,1                   |
| 484             | 12,0                           | 6,0                          | 0,5 ± 0,1                   |
| 216             | 12,0                           | 7,0                          | 0,5 ± 0,1                   |
| 301             | 12,0                           | 8,0                          | 0,5 ± 0,1                   |




|            | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|------------|--------------------------------|------------------------------|-----------------------------|
| 644 / 783  | 12,0                           | 10,0                         | 0,6 ± 0,1                   |
| 2339       | 12,0                           | 10,0                         | 0,6 ± 0,1 (BGA/FDA konform) |
| 387        | 12,0                           | 12,0                         | 0,5 ± 0,1                   |
| 2434       | 12,7                           | 9,5                          | 0,4 ± 0,1                   |
| 2211       | 12,0                           | 12,0                         | 20 ± 5 Grad                 |
| 930        | 13,0                           | 4,0                          | 0,4 ± 0,1                   |
| 1191       | 13,0                           | 6,5                          | 8 - 15 Grad                 |
| 301        | 13,0                           | 8,0                          | 0,5 ± 0,1                   |
| 418        | 13,0                           | 10,0                         | 15 ± 5 Grad                 |
| 418        | 13,0                           | 11,0                         | 0,5 ± 0,1                   |
| 1162       | 13,0                           | 13,0                         | 8 - 15 Grad                 |
| 652        | 13,5                           | 8,0                          | 0,5 ± 0,1                   |
| 1363       | 14,0                           | 5,0                          | 8 - 15 Grad                 |
| 188        | 14,0                           | 7,0                          | 0,5 ± 0,1                   |
| 1105       | 14,0                           | 9,0                          | 15 - 20 Grad                |
| 2210       | 14,0                           | 10,0                         | 20 ± 5 Grad                 |
| 2212       | 14,0                           | 14,0                         | 20 ± 5 Grad                 |
| 442        | 15,0                           | 3,0                          | 0,5 ± 0,1                   |
| 1551       | 15,0                           | 3,0                          | 15 ± 5 Grad                 |
| 800        | 15,0                           | 4,0                          | 0,5 ± 0,1                   |
| 278 / 755  | 15,0                           | 5,0                          | 0,5 ± 0,1                   |
| 278        | 15,0                           | 6,0                          | 0,6 ± 0,1                   |
| 1950       | 15,0                           | 8,0                          | 8 - 15 Grad                 |
| 478        | 15,0                           | 10,0                         | 0,5 ± 0,1                   |
| 1655       | 15,0                           | 10,0                         | 0,8 ± 0,1                   |
| 590        | 15,0                           | 10,0                         | 0,9 ± 0,1                   |
| 231        | 15,0                           | 12,0                         | 0,5 ± 0,1                   |
| 1161       | 15,0                           | 13,0                         | 8 - 15 Grad                 |
| 395 / 2149 | 15,0                           | 15,0                         | 0,5 ± 0,1                   |




|           | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|-----------|--------------------------------|------------------------------|-----------------------------|
| 558       | 15,0                           | 15,0                         | 0,8 ± 0,1                   |
| 2051      | 16,0                           | 7,0                          | 0,5 ± 0,1                   |
| 2231      | 16,0                           | 8,0                          | 20 ± 5 Grad                 |
| 855       | 16,0                           | 16,0                         | 0,5 ± 0,1                   |
| 966       | 17,0                           | 6,0                          | 0,5 ± 0,1                   |
| 751       | 17,0                           | 14,0                         | 0,5 ± 0,1                   |
| 2153      | 18,0                           | 2,0                          | 8 - 15 Grad                 |
| 899       | 18,0                           | 4,0                          | 0,5 ± 0,1                   |
| 490       | 18,0                           | 6,0                          | 0,5 ± 0,1                   |
| 741       | 18,0                           | 8,0                          | 0,7 ± 0,1                   |
| 1357      | 18,0                           | 8,0                          | 20 ± 5 Grad                 |
| 581       | 18,0                           | 10,0                         | 0,5 ± 0,1                   |
| 230       | 18,0                           | 12,0                         | 0,5 ± 0,1                   |
| 303 / 679 | 18,0                           | 15,0                         | 0,5 ± 0,1                   |
| 384       | 18,0                           | 18,0                         | 10 - 15 Grad                |
| 1679      | 20,0                           | 2,0                          | 8 - 15 Grad                 |
| 324       | 20,0                           | 3,0                          | 0,5 ± 0,1                   |
| 324       | 20,0                           | 3,2                          | 0,5 ± 0,1                   |
| 700       | 20,0                           | 4,0                          | 0,5 ± 0,1                   |
| 344       | 20,0                           | 5,0                          | 0,5 ± 0,1                   |
| 753       | 20,0                           | 6,0                          | 0,5 ± 0,1                   |
| 274       | 20,0                           | 7,0                          | 0,5 ± 0,1                   |
| 536       | 20,0                           | 8,0                          | 0,5 ± 0,1                   |
| 723       | 20,0                           | 8,0                          | 0,7 ± 0,1                   |
| 186       | 20,0                           | 10,0                         | 0,5 ± 0,1                   |
| 1043      | 20,0                           | 10,0                         | 0,6 ± 0,1                   |
| 2049      | 20,0                           | 10,0                         | 15 ± 5 Grad                 |
| 549       | 20,0                           | 12,0                         | 0,5 ± 0,1                   |
| 362       | 20,0                           | 14,0                         | 0,5 ± 0,1                   |




|           | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|-----------|--------------------------------|------------------------------|-----------------------------|
| 362 / 520 | 20,0                           | 15,0                         | 0,7 ± 0,1                   |
| 1305      | 20,0                           | 15,0                         | 25 ± 5 Grad                 |
| 2072      | 20,0                           | 16,0                         | 0,5 ± 0,1                   |
| 615       | 20,0                           | 18,5                         | 0,5 ± 0,1                   |
| 384       | 20,0                           | 20,0                         | 0,5 ± 0,1                   |
| 524       | 20,0                           | 20,0                         | 0,6 ± 0,8                   |
| 186       | 21,0                           | 10,0                         | 0,5 ± 0,1                   |
| 716       | 22,0                           | 10,0                         | 0,4 ± 0,1                   |
| 373       | 22,0                           | 16,5                         | 0,5 ± 0,1                   |
| 433       | 23,0                           | 20,0                         | 0,5 ± 0,1                   |
| 2356      | 25,0                           | 2,0                          | 8 - 15 Grad                 |
| 754       | 25,0                           | 3,0                          | 0,5 ± 0,1                   |
| 742       | 25,0                           | 4,0                          | 0,3 ± 0,1                   |
| 825       | 25,0                           | 4,5                          | 0,5 ± 0,1                   |
| 477       | 25,0                           | 5,0                          | 0,5 ± 0,1                   |
| 878       | 25,0                           | 6,0                          | 0,5 ± 0,1                   |
| 587       | 25,0                           | 8,0                          | 0,5 ± 0,1                   |
| 527       | 25,0                           | 10,0                         | 0,5 ± 0,1                   |
| 611       | 25,0                           | 10,0                         | 0,9 ± 0,1                   |
| 1056      | 25,0                           | 12,0                         | 0,5 ± 0,1                   |
| 251       | 25,0                           | 15,0                         | 0,5 ± 0,1                   |
| 2186      | 25,0                           | 19,0                         | 15 ± 5 Grad                 |
| 295       | 25,0                           | 20,0                         | 0,5 ± 0,1                   |
| 506       | 25,0                           | 25,0                         | 0,7 ± 0,1                   |
| 854       | 28,0                           | 10,0                         | 0,7 ± 0,1                   |
| 1155      | 28,0                           | 10,0                         | 8 - 15 Grad                 |
| 967       | 30,0                           | 3,0                          | 0,5 ± 0,1                   |
| 743       | 30,0                           | 4,0                          | 0,3 ± 0,1                   |
| 550       | 30,0                           | 5,0                          | 0,5 ± 0,1                   |



|              | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|--------------|--------------------------------|------------------------------|-----------------------------|
| 2209         | 30,0                           | 6,0                          | 20 ± 5 Grad                 |
| 1948         | 30,0                           | 5,0                          | 15 Grad (BGA konform)       |
| 550          | 30,0                           | 6,0                          | 0,5 ± 0,1                   |
| 1881         | 30,0                           | 7,0                          | 8 - 15 Grad                 |
| 427          | 30,0                           | 8,0                          | 0,5 ± 0,1                   |
| 717          | 30,0                           | 10,0                         | 0,5 ± 0,1                   |
| 970          | 30,0                           | 3,0                          | 0,6/0,7 ± 0,1               |
| 239          | 30,0                           | 12,0                         | 0,5 ± 0,1                   |
| 2152         | 30,0                           | 12,7                         | 15 ± 5 Grad                 |
| 1080         | 30,0                           | 15,0                         | 0,5 ± 0,1                   |
| 1004         | 30,0                           | 20,0                         | 0,7 ± 0,1                   |
| 1160         | 30,0                           | 20,0                         | 10 - 20 Grad                |
| 1180         | 30,0                           | 25,0                         | 0,5 ± 0,1                   |
| 892 A oder B | 30,0                           | 30,0                         | 0,6 ± 0,1                   |
| 531          | 32,0                           | 18,0                         | 0,5 ± 0,1                   |
| 827          | 35,0                           | 3,0                          | 0,5 ± 0,1                   |
| 744          | 35,0                           | 4,0                          | 0,5 ± 0,1                   |
| 1234         | 35,0                           | 5,0                          | 0,7 ± 0,1                   |
| 1537         | 35,0                           | 12,0                         | 8 - 15 Grad                 |
| 640          | 35,0                           | 15,0                         | 0,7 ± 0,1                   |
| 2239         | 35,0                           | 15,0                         | 20 ± 5 Grad                 |
| 786          | 35,0                           | 17,0                         | 0,5 ± 0,1                   |
| 1632         | 35,0                           | 27,0                         | 0,5 ± 0,1                   |
| 521          | 35,0                           | 35,0                         | 0,5 ± 0,1                   |
| 322          | 36,0                           | 20,0                         | 0,5 ± 0,1                   |
| 1277         | 38,0                           | 3,0                          | 8 - 15 Grad                 |
| 740          | 38,0                           | 7,0                          | 15 ± 5 Grad                 |
| 1718         | 38,0                           | 7,0                          | 0,83 ± 0,1                  |
| 614          | 40,0                           | 3,0                          | 0,8 ± 0,1                   |



|           | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|-----------|--------------------------------|------------------------------|-----------------------------|
| 504       | 40,0                           | 4,0                          | 0,5 ± 0,1                   |
| 547       | 40,0                           | 4,0                          | 0,8 ± 0,1                   |
| 298       | 40,0                           | 5,0                          | 0,5 ± 0,1                   |
| 1282      | 40,0                           | 5,0                          | 25 ± 5 Grad                 |
| 1775      | 40,0                           | 6,0                          | 8 - 15 Grad                 |
| 282       | 40,0                           | 7,0                          | 0,5 ± 0,1                   |
| 282       | 40,0                           | 8,0                          | 0,5 ± 0,1                   |
| 1438      | 40,0                           | 10,0                         | 8 - 15 Grad                 |
| 495       | 40,0                           | 12,0                         | 0,3 ± 0,1                   |
| 302 / 758 | 40,0                           | 15,0                         | 0,5 ± 0,1                   |
| 1607      | 40,0                           | 20,0                         | 20 ± 10 Grad                |
| 2080      | 40,0                           | 20,0                         | 8 - 15 Grad                 |
| 529       | 40,0                           | 30,0                         | 0,5 ± 0,1                   |
| 2340      | 40,0                           | 30,0                         | 30 ± 5 Grad                 |
| 1845      | 40,0                           | 35,0                         | 8 - 15 Grad                 |
| 1103      | 40,0                           | 40,0                         | 8 - 15 Grad                 |
| 745       | 42,0                           | 4,0                          | 0,3 ± 0,1                   |
| 746       | 45,0                           | 4,0                          | 0,3 ± 0,1                   |
| 2150      | 45,0                           | 5,0                          | 8 - 15 Grad                 |
| 302       | 45,0                           | 15,0                         | 0,7 ± 0,1                   |
| 559       | 45,0                           | 20,0                         | 0,8 ± 0,1                   |
| 530       | 45,0                           | 30,0                         | 0,5 ± 0,1                   |
| 2242      | 48,0                           | 2,5                          | 8 - 15 Grad                 |
| 2399      | 48,0                           | 3,0                          | 8 - 15 Grad                 |
| 981       | 50,0                           | 3,0                          | 0,5 ± 0,1                   |
| 747       | 50,0                           | 4,0                          | 0,3 ± 0,1                   |
| 705       | 50,0                           | 5,0                          | 0,5 ± 0,1                   |
| 313       | 50,0                           | 6,0                          | 0,5 ± 0,1                   |
| 853       | 50,0                           | 8,0                          | 0,4 ± 0,1                   |



|          | Breite: a / mm<br>Tol. +/- 10% | Höhe: b / mm<br>Tol. +/- 10% | Dichte oder<br>Shore-Härte: |
|----------|--------------------------------|------------------------------|-----------------------------|
| 852      | 50,0                           | 10,0                         | 0,5 ± 0,1                   |
| 2081     | 50,0                           | 15,0                         | 8 - 15 Grad                 |
| 1608     | 50,0                           | 20,0                         | 8 - 15 Grad                 |
| 1181     | 50,0                           | 30,0                         | 0,5 ± 0,1                   |
| 2436     | 55,0                           | 25,0                         | 8 - 15 Grad                 |
| 1690     | 59,0                           | 5,0                          | 10 - 15 Grad                |
| 103 /466 | 60,0                           | 6,0                          | 0,5 ± 0,1                   |
| 2294     | 60,0                           | 8,0                          | 0,5 ± 0,1                   |
| 396      | 60,0                           | 15,0                         | 0,7 ± 0,1                   |
| 2151     | 60,0                           | 30,0                         | 15 ± 5 Grad                 |
| 715      | 63,0                           | 5,0                          | 0,5 ± 0,1                   |
| 798      | 65,0                           | 2,0                          | 0,5 ± 0,1                   |
| 1741     | 65,0                           | 25,0                         | 15 ± 5 Grad                 |
| 1467     | 70,0                           | 10,0                         | 0,4 ± 0,1                   |
| 879      | 70,0                           | 20,0                         | 0,5 ± 0,1                   |
| 932      | 75,0                           | 4,0                          | 0,5 ± 0,1                   |
| 2207     | 80,0                           | 6,0                          | 15 ± 5 Grad                 |
| 1126     | 80,0                           | 12,0                         | 10 - 20 Grad                |
| 102      | 80,0                           | 25,0                         | 0,7 ± 0,1                   |
| 1394     | 80,0                           | 40,0                         | 15 ± 5 Grad                 |
| 932      | 90,0                           | 4,0                          | 15 - 20 Grad                |
| 932      | 102,0                          | 4,0                          | 0,5 ± 0,1                   |
| 1465     | 110,0                          | 2,0                          | 20 ± 5 Grad                 |
| 740      | 120,0                          | 5,0                          | 0,4 ± 0,1                   |
| 740      | 150,0                          | 5,0                          | 0,5 ± 0,1                   |
| 1395     | 150,0                          | 10,0                         | 8 - 15 Grad                 |
| 1393     | 215,0                          | 4,1                          | 8 - 15 Grad                 |